



سيوليت



DMR

DMRSÜREN Kimya Ltd. Şti.

www.dmrsuren.com
www.kimyadeposu.com



DMRSÜREN Kimya Ltd. Şti.

SEPIOLITE

سپيوليت با توجه به خواص آن در موارد
مختلف صنعتی مورد استفاده قرار می گیرد.



SEPIOLITE

Technical Data Sheet



DMRSÜREN Kimya Ltd. Şti.

Material Chemical Name	A magnesium trisilicates clay wins some water of hydration		
Chemical Formula	SiO ₂	56.35	%
	Al ₂ O ₃	2.77	%
	MgO	22.45	%
	Fe ₂ O ₃	1.34	%
	CaO	2.09	%
	K ₂ O	0.51	%
	TiO ₂	0.15	%
	KK	16.85	%
	Na ₂ O	0.70	%
Brief Description	Coarse, free of foreign objects.		
Country/ies of origin	Turkey		
Storage Requitments	Store in clean and dry environment.		
Colour	White		
Moisture (%)	8-10		
pH	8,7-/+ 0.5		
Hardness (Mohs)	2.00-2.05		
Particle Size	<10mm		
Bulk Density (kg/L)	0,62-0,66 +/- 0.05		
Water Absorbency (w/w)	90-120		

DMRSÜREN Kimya Sanayi ve Dış.Tic.Ltd.Şti

Altayçeşme Mah.İstiklal Cad.No:82/B Maltepe/İstanbul

İletişim :0216 4421200-4426626



DMR

DMRSÜREN Kimya Ltd. Şti.



Dmrsüren Kimya San.Dış Tic. Ltd. Şti

تولید کننده مواد اولیه شیمیایی و معدنی